

Q8 Antifreeze

Ethylene glycol based engine coolant concentrate

Description

Q8 Antifreeze is an excellent ethylene glycol based engine coolant concentrate. It is free from amines, phosphates and nitrites.

Applications

Q8 Antifreeze is used in coolant systems of automotive and industrial internal combustion engines during all seasons. It is also suited for some industrial heat exchanger systems.

Benefits

- Superb corrosion protection of coolant system metal compositions and solders.
- Outstanding compatibility with car paint and finishes.
- Outstanding system metal corrosion protection.
- Outstanding compatibility with system rubber seals
- All seasons type engine coolant.

Specifications, recommendations and approvals

ASTM	D 3306	FVV Heft	R 443
ASTM	D 4656	JIS	K 2234
Afnor	NF R 15-601	SAE	J 1034
BS	6580	UNE	26-361-88/1
CUNA	NC 956-16		

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	1,125
Colour	Visual	-	Green-blue
Freezing Protection 33-67%	D 1177	°C	-17
Freezing Protection 50-50%	D 1177	°C	-36
Equilibrium boiling point	D 1120	°C	171

The figures above are not a specification. They are typical figures obtained within production tolerances.

Remarks

Replacement is recommended after 1 year with this type of engine coolant.